PEDIATRIC GROWTH AND DEVELOPMENT TABLE


Compiled by Sir V

PARAMETERS	INFANT	TODDLER	PRE-SCHOOL	SCHOOL-AGE	ADOLESCENT
AGE	0-1yr	1-3 y/o	3-6 y/o	6-12 y/o	12-18 у/о
Psychosocial Stage by Eric Erickson	Trust vs. Mistrust	Autonomy vs Shame and Doubt	Initiative vs Guilt	Industry vs Inferiority	Identity vs Role Confusion or Role Diffusion
How is the above task developed?	If needs are met	Allow the toddler to make simple decisions. Allow the toddler to explore	Allow the child to try to perform simple tasks.	Motivate the child to perform in school. Allow to participate in school activities	Allow the adolescent to decide and give some degree of independence
Psychosexual Stage by Sigmund Freud	Oral Center of pleasure: mouth (major source of gratification & exploration) Primary need: Security Major conflict: weaning	Anal Source of pleasure: anus & bladder (sensual satisfaction & self-control) Major conflict: toilet training Principles of toilet training: Consistency, firmness but not strictness, positive maternal attitude Physiologic readiness: able to sit, stand and walk Psychosocial readiness: Desire to please the mother	Phallic Center of pleasure: child's genital (masturbation) Major conflict: Oedipus & Electra Complex	Latency Energy directed to physical & intellectual activities Sexual impulses repressed Relationship between peers of same sex	Genital Energy directed towards full sexual maturity & function & development of skills to cope with the environment
Stage of Cognitive Development by Jean Piaget	Sensory-Motor	Sensory-motor	Pre-conceptual or pre- operational	Concrete operational	Formal operational
Stage of Moral Development by Lawrence Kohlberg	Amoral	Pre-conventional stage 1	Pre-conventional stage 2	Conventional	Post conventional
Most Significant person/s	Primary Care Giver Mother	Parents	Family Neighbors	Peers	Peer Group
Source/s of Fears	Stranger Anxiety (Object permanence)	Separation Anxiety (Protest, despair, denial, recovery}	Castration/Body Mutilation/Ghost, dark etc	Death, failure in school, intimidating teacher	Rejection Loss of privacy
Type of Play	Solitary	Parallel	Associative-cooperative	Competitive	Competitive
	Rattles	Push and pull toys	Building set, simple puzzle and	Ball games, scrabble,	Ball games, recreational

Examples of Toys	Musical Mobiles	Play telephone to encourage language development	board games, dress up dolls, housekeeping toys, carpentry set , tricycle, etc	chess, video games	and social activities
		Building blocks: 15 mos: builds tower of 2 18 mos: tower of 3-4 blocks			
		24 mos: tower of 5-6 30 mos: tower of 7-8		A	
Behavioral Characteristics/Indicators	Observer	Egocentric, selfish, negativistic, manipulative, temper tantrums	Fond of telling tall-tales, imaginative, curious, imitator Sore loser	Modest, respectful, obedient,	Strives for independence
Language: Number of vocabulary/words	5-10 10 months- "mama" "dada"	900-1,000	2,000-2,100	50,000	50,000>
Theme	none	"Holding on and letting go."	"To make, to try, to play."	"To acquire knowledge and information"	To find someone to love
James Fowler's Stages of Faith & Spiritual Development	Pre-stage: Primal or Undifferentiated faith Trust, hope and love compete with environmental inconsistencies or threats if abandonment	Stage 1: Intuitive-projective faith Imitates parental behaviors and attitudes about religion and spirituality. Has no real understanding of spiritual concepts.	Stage 1: Intuitive-projective faith Imitates parental behaviors and attitudes about religion and spirituality. Has no real understanding of spiritual concepts.	Stage 2: Mythical-literal faith Accepts existence of a deity. Religious & moral beliefs are symbolized by stories. Appreciates others' viewpoints. Accepts concept of reciprocal fairness.	Stage 3: Synthetic- conventional faith Questions values & religious beliefs in an attempt to form own identity. Late adolescent & young adult: Stage 4: Individuative- reflective faith Assumes responsibility for own attitudes & beliefs.
SLEEP	17-18 hrs 8-9 months- 10-12 hrs	10-12 hrs/day	11-12 hrs/day	8-12 hrs/day	8-10 hrs/day
SAFETY Common accidents	Aspiration of foreign bodies Falls, suffocation, scalding burn from hot water	Aspiration of Foreign Bodies, Falls, Poisoning, drowning	Motor accidents, drowning, burns, falls	Motor & vehicular accidents Fracture due to rapid long bone development (growth spurt)	Motor vehicular accidents Sports injuries Firearms accidents

Behavioral Indicators	Observer	Explorer, independent,	Boastful, fond of telling tall	Competitive	Competitive
		ritualistic, negativistic,	tales, magical thinking,	Shows industry &	Independent
		selfish, manipulative,	curios, imitator,	productivity	
		dawdling, egocentric	cooperative, shows	Shows good behavior to	
			initiative, dramatic,	please others	
			imaginative, very physical	idealistic	
			(play)		
Approach in discipline	Time out	Redirect child's attention	Time out (in play)	Consistency	Consistency
		Time out	Allow to try in doing things		Allow to establish
		Loss of privileges	Loss of privileges		independence
		Explaining, reprimanding,	Explaining, reprimanding,		
		reasoning for older	reasoning for older		
		children	children		
		Ignore temper tantrums			
		5			
Nutrition	Breast feeding per demand	1,300-1,400 kcal/day or	1,700-1,800 cal/day or 90	2,100-2,400 cal/day	2,200-2,700 cal/day
	until 18 months to 2 years	100 cal/kg/day	cal/kg/day	Minimize junk food	
	old	Able to feed self 🛛 👞			
	Weaning:				
	6 months: from breast to				
	bottle				
	12 months: from bottle to				
	cup				
	Caloric requirement: 1,200				
	cal/day or 100-115				
	kcal/kg/day				
	Kealy kg/ day				
	Supplementary foods: 6				
	months- cereals,	_			
	vegetables, fruits, meats,				
Important Developmental	egg yolk 1 mo- Lifts head for short	15 months	3 years old	6 years old	
Milestones	period (15 degree)	Walks without support	begins to stand on 1 foot	Starts to ride a bicycle	
Milestones		Throws objects or ball	walks upstairs alternating feet	Tie knots	
	2 months	Grasps spoon	and walks downstairs without	Has complete binocular vision	

D	ariar fantanci dacas	With come desires of	accietance 1 fact at a time -		
	erior fontanel closes	With some degree of	assistance 1 foot at a time	7	
	Rolls side to back	sphincter control and may	rides a tricycle	7 years old	
	cial smile appears	start with toilet training	draws a person with 3 parts	rides bicycle well	
Begi	ns to follow moving		Undresses without help	Engages in team	
	object to side	18 months	With imaginary friend	games/sports	
Lifts	head at 30 degrees	Anterior fontanel is closed	Night time bladder control	Develops concept of time	
		Walks backwards		Draws person with 16 parts	
	3 months	Climbs stairs and furniture			
Lifts	head at 45 degrees	Speaks 10 words	4 years old	8 years old	
	d to mouth activities	Begins short sentences	Hops on 1 foot	Movements more gracefull	
	Starts to drool	Thumb sucking	Climbs and jumps well		
	Laughs audibly	Begins to run and jump/hump	Goes up & down the stairs	9-10 years old	
			with alternating feet without	Normal 20/20 vision	
	4 months		assistance	Better behaved	
Lifts	head at 45 degrees>	24 months	Attempts to print letters	Enjoys team sports	
With go	od head control, no lag	Runs well	Dresses self with assistance	Appearance of secondary sex	
Roll	s from back to side	Obeys simple commands	Laces shoes	characteristics start	
			Counts to 5		
			With 20 minutes attention		
	5 months	30 months	span	11-12 years old	
Takes	object present to him	walks on tiptoe		Develops beginning interest	
	Raking grasp	complete deciduous teeth		in the opposite sex	
M	lay start roll over	Day time bladder control	5 years old	Reads romance, mystery and	
Be	gins bowel sound		Jumps rope	adventure stories	
	-		Skips & hops on alternate feet		
	6 months		Balances on 1 foot with eyes		
Do	ubles birth weight		closed		
	over completely from		Throws and catches a ball		
	back to tummy		Dresses self completely		
	Sits with support		without help		
	eething(6-7-9-10)		Draws a person with 6 parts		
	Stranger Anxiety		Counts to 10 or more		
	<u> </u>	~	Cooperative play		
	7 months		With 30 minutes attention		
Discove	ers feet and plays with		span		
	it				
	8 months				
Stra	inger anxiety peaks				
Stra	inger anxiety peaks				<u> </u>



Francisvasouet